



Chasen Tool Group

www.hdchasen.com

40 Lake Street, Somerville, MA 02143 Office: 617.666.9090 Fax: 617.666.3452



Steel Erector Product Catalog

2020 - 2021

Table of Contents

Carbide Tipped Annular Cutters	2
Available Diameters	3
Annular Cutter Holders	4
Magnetic Drills	6
Different Mag Drills.....	7-10
Barrel Pins	11
Bridge Clamps	12
Bridge Reamers	13
Hex Bridge Reamers	14
Hex Bridge Reamers Diameters	15
Spud Wrenches	16
Spud Erection Wrench Sizes	17
Box End Spud Erection Wrench Sizes	18
Ratcheting and Adjustable Spud Erection Wrench Sizes	19
Striking Wrenches	20
Hex Bit Impact Sockets	21
Rivet Busters & Accessories	22-24
Taps and Dies (Standard and Metric)	25

Carbide Tipped Annular Cutters

Cutters are available in 1", 2", 3", 4" & 8" Depth of Cut

Longer Cutters available upon request !



Sharpening and Replacement
of Carbide Teeth is
NOW AVAILABLE!

Call For Quote: 617.666.9090



Available Diameters

Carbide Tipped Annular Cutter / 9/16" Diameter
Carbide Tipped Annular Cutter 5/8" Diameter
Carbide Tipped Annular Cutter 11/16" Diameter
Carbide Tipped Annular Cutter 3/4" Diameter
Carbide Tipped Annular Cutter 13/16" Diameter
Carbide Tipped Annular Cutter 7/8" Diameter
Carbide Tipped Annular Cutter 15/16" Diameter
Carbide Tipped Annular Cutter 1" Diameter
Carbide Tipped Annular Cutter 1-1/16" Diameter
Carbide Tipped Annular Cutter 1-1/8" Diameter
Carbide Tipped Annular Cutter 1-3/16" Diameter
Carbide Tipped Annular Cutter 1-1/4" Diameter
Carbide Tipped Annular Cutter 1-5/16" Diameter
Carbide Tipped Annular Cutter 1-3/8" Diameter
Carbide Tipped Annular Cutter 1-7/16" Diameter
Carbide Tipped Annular Cutter 1-1/2" Diameter
Carbide Tipped Annular Cutter 1-9/16" Diameter
Carbide Tipped Annular Cutter 1-5/8" Diameter
Carbide Tipped Annular Cutter 1-11/16" Diameter
Carbide Tipped Annular Cutter 1-3/4" Diameter
Carbide Tipped Annular Cutter 1-13/16" Diameter
Carbide Tipped Annular Cutter 1-7/8" Diameter
Carbide Tipped Annular Cutter 1-15/16" Diameter
Carbide Tipped Annular Cutter 2" Diameter
Carbide Tipped Annular Cutter 2-1/16" Diameter
Carbide Tipped Annular Cutter 2-1/8" Diameter
Carbide Tipped Annular Cutter 2-3/16" Diameter
Carbide Tipped Annular Cutter 2-1/4" Diameter
Carbide Tipped Annular Cutter 2-5/16" Diameter
Carbide Tipped Annular Cutter 2-3/8" Diameter
Carbide Tipped Annular Cutter 2-7/16" Diameter
Carbide Tipped Annular Cutter 2-1/2" Diameter
Carbide Tipped Annular Cutter 2-9/16" Diameter
Carbide Tipped Annular Cutter 2-5/8" Diameter
Carbide Tipped Annular Cutter 2-11/16" Diameter
Carbide Tipped Annular Cutter 2-3/4" Diameter
Carbide Tipped Annular Cutter 2-13/16" Diameter
Carbide Tipped Annular Cutter 2-7/8" Diameter
Carbide Tipped Annular Cutter 2-15/16" Diameter

Carbide Tipped Annular Cutter 3" Diameter
Carbide Tipped Annular Cutter 3-1/16" Diameter
Carbide Tipped Annular Cutter 3-1/8" Diameter
Carbide Tipped Annular Cutter 3-3/16" Diameter
Carbide Tipped Annular Cutter 3-1/4" Diameter
Carbide Tipped Annular Cutter 3-5/16" Diameter
Carbide Tipped Annular Cutter 3-3/8" Diameter
Carbide Tipped Annular Cutter 3-7/16" Diameter
Carbide Tipped Annular Cutter 3-1/2" Diameter
Carbide Tipped Annular Cutter 3-9/16" Diameter
Carbide Tipped Annular Cutter 3-5/8" Diameter
Carbide Tipped Annular Cutter 3-11/16" Diameter
Carbide Tipped Annular Cutter 3-3/4" Diameter
Carbide Tipped Annular Cutter 3-13/16" Diameter
Carbide Tipped Annular Cutter 3-7/8" Diameter
Carbide Tipped Annular Cutter 3-15/16" Diameter
Carbide Tipped Annular Cutter 4" Diameter
Carbide Tipped Annular Cutter 4-5/16" Diameter
Carbide Tipped Annular Cutter 4-3/8" Diameter
Carbide Tipped Annular Cutter 4-1/2" Diameter
Carbide Tipped Annular Cutter 4-13/16" Diameter
Carbide Tipped Annular Cutter 4-7/8" Diameter
Carbide Tipped Annular Cutter 5" Diameter
Carbide Tipped Annular Cutter 5-5/16" Diameter
Carbide Tipped Annular Cutter 5-3/8" Diameter
Carbide Tipped Annular Cutter 5-13/16" Diameter
Carbide Tipped Annular Cutter 6" Diameter
Ejector Pin

Annular Cutter Holders

- The range of Annular Cutter Holders allows the use of a variety of machines to drive cutters.
- Extensions allow the user to achieve previously hard to reach areas without having to create a new set-up for each application.

Make sure that you have Ejector Pins & Lubricant when completing your order!



Nitto Kohki QC X 3/4WSF HEN-110-3200



Annular Cutter Holder 1/2sh X 3/4WSF HEN-1



Annular Cutter Holder 3/4sh X 3/4WSF HEN-2 Series



Annular Cutter Holder 2MT X 3/4WSF HEN-3



Annular Cutter Holder 3MT X 3/4WSF HEN-4 Series



Annular Cutter Holder R8 X 3/4" WSF HEN-5 Series



Annular Cutter Holder 3/4Sh X 1.455" HEN-6 Series



Annular Cutter Holder R8 X 1.455" HEN-7 Series



Annular Cutter Holder 1.455" w/Cooling Ring HEN-8SPEC-CR Series



Annular Cutter Holder Extension / 3/4WSM - 3/4WSF HEN-9 Series



Annular Cutter Holder Extension / 3/4"WS - 1/2"CS / HEN-0311 Series



Annular Cutter Holder Extension / 3/4"WS - 3/4"CS HEN-0511 Series



Annular Cutter Holder 3MT - 3/4WS Internal Coolant Ring M1636-2



Annular Cutter Holder 3MT/4MT/5MT - Threaded Shank - 2" Cutter Depth



Annular Cutter Holder 3MT/4MT/5MT - Threaded Shank - 4" Cutter Depth



Annular Cutter Holder 3/4Sh - 3/4WS X 2"DOC Internal Coolant Ring / M1600-4



Annular Cutter Holder 3MT/4MT/5MT - 3/4WS x 4"DOC / Internal Coolant Ring



Annular Cutter Adapter 1-1/4WSF - 1.455M



Annular Cutter Adapter 1-1/4WSM X 1.455"



Annular Cutter Holder / 1.455" - 3/4WSM HEN-8SPEC-1



Annular Cutter Holder / 1.455" Cutter Shank - 5MT / HEN-8SPEC-5

Magnetic Drills



Magnetic Drill / 1-3/8" Capacity / MABASIC 200



Jancy Holesmaker II / 1-3/8" Max Diameter / USA200M



Jancy Magnetic Drill 1-1/2" Dia x 2" / USA101



Jancy Magforce Drill 120V 1-5/8" Max Diameter / 06920



Portable Magnetic Drill / MAB 150



Portable Magnetic Drill / MAB 485



Portable Magnetic Drill / MAB 525



Portable Magnetic Drill / MAB 825



Portable Magnetic Drill / MAB 1300



Battery-Powered Magnetic Drill / MAB 3000



Jancy 2 X 2 120V / 2" Max Diameter / 17980



Jancy 4 X 4 120V / 4" Max Diameter / 17985



Jancy USA5 120V / 2-3/8" Max Diameter / 18066



Milwaukee Magnetic Drill 120V / 2-3/8" Max Diameter / 4204-1



Milwaukee Magnetic Drill 120V / 6" Max Diameter / 4206-1



Milwaukee Magnetic Drill 120V / 6" Max Diameter / 4208-1



Milwaukee Magnetic Drill 120V / 6" Max Diameter / 4209-1



Milwaukee Magnetic Drill 120V / 6" Max Diameter / 4210-1



Hydraulic Magnetic Drill / 2-1/16" Max Diameter



KCD-MNIWD Magbore Drill System



Magnetic Drill Chuck Assy 1/2" / Any 3/4" Shank Magnetic Drills



Magnetic Drill Chuck Assembly - 1/2" Chuck - USA101 ONLY



Drill Chuck Assembly / Magnetic Drill / Jancy USA200M ONLY



Fein Magnetic Drill / 2-1/16 Max / Tapping Feature / KBM-52U



Magnetic Drill Vacuum Plate / Universal Plate / Includes Pump



Magnetic Drill Vacuum Plate / Smooth Surface / Includes Pump

Barrel Pins / Broad Head Bull Pins / Drift Pins



Broad Head Bull Pins



Barrel Pins

Machined from quality alloy steel. Tapers are uniform and blend into body diameter. Tough, forged steel will properly end-pein in use. Heat-treated for strength. Black finish for rust resistance.

Broad Head Bull Pin 1-1/4" Top X 13-3/4" Length

Broad Head Bull Pin 1-1/16" Top X 10" Length

Barrel Pin / 11/16" Diameter X 8" Length

Barrel Pin / 13/16" Diameter X 8" Length

Barrel Pin / 7/8" Diameter X 12" or 18" Length

Barrel Pin / 15/16" Diameter X 8" / 12" or 18" Length

Barrel Pin / 1" Diameter X 18" OAL

Barrel Pin / 1-1/16" Diameter X 8" / 12" / 18" Length

Barrel Pin / 1-1/8" Diameter X 12" or 18" Length

Barrel Pin / 1-3/16" Diameter X 8" / 12" / 18" OAL

Barrel Pin / 1-1/4" Diameter X 12" or 18" OAL

Barrel Pin / 1-5/16" Diameter / 8" or 12" Length

Barrel Pin / 1-3/8" Diameter X 12" Length

Barrel Drift Pin / 1-9/16" Diameter X 12" OAL

Barrel Drift Pin / 2" Diameter X 12" or 18" Length

Bridge Clamp / Heavy Duty C – Clamp



CC-1AAW Bridge Clamp / 1-3/8" Capacity / 1-1/8" Throat Depth

CC-1-1/2AAW Bridge Clamp / 1-7/8" Capacity / 1.6562" Throat Depth

CC-2AAW Bridge Clamp / 2-11/32" Capacity / 1-7/8" Throat Depth

CC-3LAAW Bridge Clamp / 3-7/16" Capacity / 2-1/2" Throat Depth

CC-4LAAW Bridge Clamp / 4-21/32" Capacity / 2-7/8" Throat Depth

CC-5LAAW Bridge Clamp / 5-5/8" Capacity / 3-1/8" Throat Depth

CC-6LAAW Bridge Clamp / 6-1/2" Capacity / 3-1/2" Throat Depth

CC-8LAAW Bridge Clamp / 8-1/2" Capacity / 3-11/16" Throat Depth

CC-10LAAW Bridge Clamp / 10-3/8" Capacity / 4-5/16" Throat Depth

CC-12LAAW Bridge Clamp / 12-3/8" Capacity / 4-1/4" Throat Depth

Bridge Reamers

Car Reamer X 7 OAL



Standard Bridge Reamer X 10 OAL



Bridge Reamer XL 18" OAL



Bridge Reamers or Car Reamers are especially adapted for heavy duty reaming as encountered in the fabrication of structural steel assemblies. They are tapered at the point to facilitate entering of holes which are out of alignment.

Available in Morse Taper or 1/2" Round Straight Shanks

Bridge Reamer 3/8"	Bridge Reamer 1-1/4"
Bridge Reamer 7/16"	Bridge Reamer 1-5/16"
Bridge Reamer 1/2"	Bridge Reamer 1-3/8"
Bridge Reamer 9/16"	Bridge Reamer 1-7/16"
Bridge Reamer 5/8"	Bridge Reamer 1-1/2"
Bridge Reamer 11/16"	Bridge Reamer 1-9/16"
Bridge Reamer 3/4"	Bridge Reamer 1-5/8"
Bridge Reamer 13/16"	Bridge Reamer 1-11/16"
Bridge Reamer 7/8"	Bridge Reamer 1-3/4"
Bridge Reamer 15/16"	Bridge Reamer 1-13/16"
Bridge Reamer 1"	Bridge Reamer 1-7/8"
Bridge Reamer 1-1/16"	Bridge Reamer 1-15/16"
Bridge Reamer 1-1/8"	Bridge Reamer 2"

Bridge Reamer 1-3/16"

Bridge Reamer Holders

Bridge Reamer Holder / 3/4D - 2MT / HEN-1BRA

Bridge Reamer Holder / 3/4D - 3MT / HEN-2BRA

Bridge Reamer Holder / 3/4D - 4MT / HEN-3BRA

Bridge Reamer Holder / 1D - 2MT / HEN-4BRA

Bridge Reamer Holder / 1D - 3MT / HEN-5BRA

Bridge Reamer Holder / 1D - 4MT / HEN-6BRA

Bridge Reamer Holder / #5 Spline - 3MT / HEN-7BRA

Bridge Reamer Holder / #5 Spline - 4MT / HEN-8BRA

Bridge Reamer | Hex Shank

Standard Hex Shank Bridge Reamer X 7" OAL



Hex Shank Bridge Reamer X 10" OAL



Hex Shank Bridge Reamer X 16" OAL



Bridge Reamers or Car Reamers are especially adapted for heavy duty reaming as encountered in the fabrication of structural steel assemblies. They are tapered at the point to facilitate entering of holes which are out of alignment.

Bridge Reamer | Hex Shank

All Reamers have Hex Nut Shanks

Hex Shank Bridge Reamer 9/16"
Hex Shank Bridge Reamer 5/8"
Hex Shank Bridge Reamer 11/16"
Hex Shank Bridge Reamer 3/4"
Hex Shank Bridge Reamer 13/16"
Hex Shank Bridge Reamer 7/8"
Hex Shank Bridge Reamer 15/16"
Hex Shank Bridge Reamer 1"
Hex Shank Bridge Reamer 1-1/16"
Hex Shank Bridge Reamer 1-1/8"
Hex Shank Bridge Reamer 1-3/16"
Hex Shank Bridge Reamer 1-1/4"
Hex Shank Bridge Reamer 1-5/16"
Hex Shank Bridge Reamer 1-3/8"
Hex Shank Bridge Reamer 1-7/16"
Hex Shank Bridge Reamer 1-1/2"
Hex Shank Bridge Reamer 1-9/16"
Hex Shank Bridge Reamer 1-5/8"
Hex Shank Bridge Reamer 1-11/16"
Hex Shank Bridge Reamer 1-3/4"
Hex Shank Bridge Reamer 1-13/16"
Hex Shank Bridge Reamer 1-7/8"
Hex Shank Bridge Reamer 1-15/16"
Hex Shank Bridge Reamer 2"

Spud | Erection Wrenches



Spud (Erection) Wrenches					
Catalog No.	Bolt Size	Nom. Opening	Head Width	Overall Length	Width Across Flats
					A325 Bolts
3210	1/2"	7/8"	2-1/4"	14-3/4"	7/8"
3211	5/8"	1-1/16"	2-1/4"	14-3/4"	1-1/16"
3212	3/4"	1-1/4"	2-1/2"	16-5/8"	1-1/4"
3213	7/8"	1-7/16"	3"	17-3/8"	1-7/16"
3214	1"	1-5/8"	3-5/8"	18"	1-5/8"
1911	1-1/8"	1-13/16"	3-3/4"	23-1/8"	1-13/16"
1912	1-1/4"	2"	4-7/16"	23-1/4"	2"
HEN-SPUD-2316	1-3/8"	2-3/16"	4-7/8"	17-7/8"	2-3/16"
HEN-SPUD-238		2-3/8"			2-3/8"

Forged from select alloy steel to withstand high-leverage and heavy loads. Extra heavy-duty head area gives maximum strength and durability. Continuous taper of handle makes lining-up bolt holes easy and works on a range of bolt and/or hole sizes without binding. Extra-large hub area works on larger diameter holes than other wrenches. Bolt size and nominal opening size are stamped on every wrench for easy identification. American Bridge design.

Spud | Erection Wrenches | Sizes



- Spud Wrench / Opening 7/8" / Bolt 1/2" / Heavy / 3210
- Spud Wrench / Opening 1-1/16" / Bolt 5/8" / Heavy / 3211
- Spud Wrench / Opening 1-1/4" / Bolt Size 3/4" / U.S. Heavy / 3212
- Spud Wrench / Opening 1-7/16" / Bolt Size 7/8" / US Heavy / 3213
- Spud Wrench / Opening 1-5/8" / Bolt Size 1" / U.S. Heavy / 3214
- Spud Wrench / Opening 1-13/16" / Bolt 1-1/8" / US Heavy / 1911
- Spud Wrench / Opening 1-7/8" / U.S. Heavy / 1911A
- Spud Wrench / Opening 2" / U.S. Heavy / 1912
- Adjustable Spud Wrench 10" / Short 1-1/8" Capacity / AT10SPUD
- Spud Wrench / Opening 2-1/16" / U.S. Heavy / HEN-SPUD-2-1/16
- Spud Wrench / Opening 2-1/8" / U.S. Heavy / HEN-SPUD-2-1/8
- Spud Wrench / Opening 2-3/16" / U.S. Heavy / HEN-SPUD-2-3/16
- Spud Wrench / Opening 2-1/4" / U.S. Heavy / HEN-SPUD-2-1/4
- Spud Wrench / Opening 2-5/16" / U.S. Heavy / HEN-SPUD-2-5/16
- Spud Wrench / Opening 2-3/8" / U.S. Heavy / HEN-SPUD-2-3/8
- Spud Wrench / Opening 2-7/16" / U.S. Heavy / HEN-SPUD-2-7/16
- Spud Wrench / Opening 2-1/2" / U.S. Heavy / HEN-SPUD-2-1/2
- Spud Wrench / Opening 2-9/16" / U.S. Heavy / HEN-SPUD-2-9/16
- Spud Wrench / Opening 3/4" / Bolt Size 1/2" / 3219
- Spud Wrench / Opening 13/16" / Bolt Size 1/2" / 3220
- Spud Wrench / Opening 1" / Bolt Size 5/8" / 3221
- Spud Wrench / Opening 1-1/8" / Bolt Size 3/4"
- Spud Wrench / Opening 1-5/16" / Bolt Size 7/8"
- Spud Wrench / Opening 1-1/2" / Bolt Size 1"
- Spud Wrench / Opening 15/16" / Bolt Size 5/8"
- Spud Wrench / Opening 1-1/16" / Bolt size 3/4"

Erection (Spud) Wrench | Box End



- Spud / Erection Wrench - Box End / 13/16"
- Spud / Erection Wrench - Box End / 7/8"
- Spud / Erection Wrench - Box End / 15/16"
- Spud / Erection Wrench - Box End / 1"
- Spud / Erection Wrench - Box End / 1-1/16"
- Spud / Erection Wrench - Box End / 1-1/8"
- Spud / Erection Wrench - Box End / 1-1/4"
- Spud / Erection Wrench - Box End / 1-5/16"
- Spud / Erection Wrench - Box End / 1-7/16"
- Spud / Erection Wrench - Box End / 1-1/2"
- Spud / Erection Wrench - Box End / 1-5/8"
- Spud / Erection Wrench - Box End / 1-11/16"
- Spud / Erection Wrench - Box End / 1-13/16"
- Spud / Erection Wrench - Box End / 1-7/8"
- Spud / Erection Wrench - Box End / 2"
- Spud / Erection Wrench - Box End / 2-3/16"
- Spud / Erection Wrench - Box End / 2-3/8"
- Spud / Erection Wrench - Box End / 2-9/16"
- Spud / Erection Wrench - Box End / 2-3/4"

Ratcheting Spud Wrench



- Accepts all 1/2" drive sockets
- Reversible ratchet
- Forged from select alloy steel with continuous-taper handle for aligning bolt holes
- Industrial black finish for corrosion resistance



Klein Spud Ratchet Wrench / 1/2" Drive / 3238

Adjustable Spud Wrench

- Versatile wrench fits nuts & bolts up to 1-1/8"
- Eliminates the need for carrying several fixed-size wrenches
- Forged from select alloy steel with continuous-taper handle
- Industrial black finish for corrosion resistance



Klein Adjustable Spud Wrench 16" / 1-1/2" Capacity / 3239

Straight Striking Wrench



7/8" / FSW14	2-5/16 / FSW37	3-13/16 / FSW61
15/16" / FSW15	2-3/8 / SFH-1814W	3-7/8 / FSW62
1" / FSW16	2-7/16 / SFH-1814AW	3-15/16 / FSW63
/ 1-1/16" / 2717SW	2-1/2 / FSW40	4 / FSW64
/ 1-1/8" / FSW18	2-9/16 / FSW41	4-1/16 / FSW65
1-3/16" / SFH-1808BW	2-5/8 / FSW42	4-1/8 / FSW66
1-1/4" / FSW20	2-11/16 / FSW43	4-3/16 / FSW67
1-5/16" / FSW21	2-3/4 / FSW44	4-1/4 / FSW68
1-3/8" / FSW22	2-13/16 / SFH-1816AW	4-5/16 / FSW69
1-7/16" / FSW23	2-7/8 / FSW46	4-3/8 / FSW70
1-1/2 / FSW24	2-15/16 / SFH-1816BW	4-7/16 / FSW71
1-9/16 / FSW25	3 / SFH-1817AW	4-1/2 / FSW72
1-5/8 / FSW26	3-1/16 / FSW49	4-9/16 / FSW73
1-11/16 / FSW27	3-1/8 / SFH-1817W	4-5/8 / FSW74
1-3/4 / FSW28	3-3/16 / FSW51	4-3/4 / FSW76
1-13/16 / FSW29	3-1/4 / FSW52	4-7/8 / FSW78
1-7/8 / FSW30	3-5/16 / FSW53	5 / FSW80
1-15/16 / FSW31	3-3/8 / FSW54	5-1/8 / FSW82
2 / FSW32	3-7/16 / FSW55	5-1/4 / FSW84
2-1/16 / FSW33	3-1/2 / SFH-1818W	5-3/8 / FSW86
2-1/8 / FSW34	3-9/16 / FSW57	5-1/2 / FSW88
2-3/16 / FSW35	3-5/8 / FSW58	5-5/8 / FSW90
2-1/4 / SFH-1813AW	3-11/16 / FSW59	5-3/4 / FSW92
	3-3/4 / FSW60	5-7/8 / FSW94
		6 / FSW96

Larger sizes are available.

Up to 9" diameter

Hex Bit Impact Sockets

Available in Drives:

1/4", 3/8", 1/2", 3/4", 1", 1-1/2"

We can make any size Hex Bit Socket !



Hex Bit Impact Socket 1/8"
Hex Bit Impact Socket 5/32"
Hex Bit Impact Socket 3/16"
Hex Bit Impact Socket 7/32"
Hex Bit Impact Socket 1/4"
Hex Bit Impact Socket 9/32"
Hex Bit Impact Socket 5/16"
Hex Bit Impact Socket 3/8"
Hex Bit Impact Socket 7/16"
Hex Bit Impact Socket 1/2"
Hex Bit Impact Socket 9/16"
Hex Bit Impact Socket 5/8"
Hex Bit Impact Socket 11/16"
Hex Bit Impact Socket 3/4"
Hex Bit Impact Socket 7/8"

Hex Bit Impact Socket 1"
Hex Bit Impact Socket 1-1/16"
Hex Bit Impact Socket 1-1/8"
Hex Bit Impact Socket 1-3/16"
Hex Bit Impact Socket 1-1/4"
Hex Bit Impact Socket 1-5/16"
Hex Bit Impact Socket 1-3/8"
Hex Bit Impact Socket 1-1/2"
Hex Bit Impact Socket 1-5/8"
Hex Bit Impact Socket 1-11/16"
Hex Bit Impact Socket 1-3/4"
Hex Bit Impact Socket 1-13/16"
Hex Bit Impact Socket 1-7/8"
Hex Bit Impact Socket 2"
Hex Bit Impact Socket 2-1/8"
Hex Bit Impact Socket 2-3/16"

Rivet Buster



Air Rivet Buster / Hell Dog / Jumbo Shank .890 / ATP-RB-11



Lock Spring / Jumbo Tool / 206



Rivet Buster Upper Sleeve / Jumbo Tool / 272



Rivet Buster Lower Sleeve / Jumbo Tool / 274



Rubber Bumper / Jumbo Tool / 275



Polyester Bumper / Jumbo Tool / 275-PBJ



Barrel Pin Driver / .890 Jumbo Shank / 259



Flat Wide Chisel / 2" X 12" / Jumbo Shank .890 / 276-12-2



Super Cut Chisel 15/16 / JUMBO SHANK / 276



Flat Chisel / 15/16" / Jumbo Shank .890 / 277



Back Out Punch / 5/8" X 9.5" / Jumbo Shank .890 / 280



Back Out Punch / 3/4" / Jumbo Shank .890 / 281



Back Out Punch / 7/8" / Jumbo Shank .890 / 282



Back Out Punch / 1" X 9.5" / Jumbo Shank .890 / 283



Back Out Punch / 1-1/8" X 9.5" / Jumbo Shank .890 / 284



Moil Point / Choose Length



Asphalt Cutter 5" / Jumbo Shank / 257



Bush Tool 2 X 2 / Jumbo Shank / 258



Air Chipping Hammer / KTI-83277



Air Needle Scaler / 125



Air Chipping Hammer / WMH-557903

Standard Taps & Dies

Taps (Taper/Plug/Bottom) & Dies (Hex & Round).

- Available in (#000-120 to #34-18)
- Available in (1/16" - 64 to 6-1/2" – 8)

Metric Taps & Dies

- Taps (Taper/Plug/Bottom) & Dies (Hex & Round) available in (M1-M100)
- Thread Repair available in (M2X0.4 – M42X4.5)
- Metric Sockets (Chrome & Impact) Available in (7mm-140mm)
- Allen Wrenches Available (1.5mm - 36mm)
- Hex Bit Sockets Available (3mm-55mm)

We also stock a wide range of sizes and styles of different metric tooling

- Combination Wrenches
- Striking Wrenches
- Drills
- Eye Bolts
- Machine Reamers
- Ratcheting Box Wrenches
- Pitch Gages

